



40 Smith & Wesson

.400"	40/10mm TMJ® FN	40/10mm GDHP
Weight (grains)	155	155
Ballistic Coefficient	0.125	0.123
Sectional Density	0.138	0.138
COAL Tested	1.120"	1.120"
Speer Part No.	4399	4400

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Blue Dot	Speer	CCI 500	10.0	1113	11.0	1221
Alliant Power Pistol	Speer	CCI 500	8.0	1112	9.0	1213
Alliant Unique	Speer	CCI 500	7.2	1048	8.0	1207
Hodgdon H. Universal	Speer	CCI 500	6.2	995	7.0	1159
Hodgdon TITEGROUP	Speer	CCI 500	5.4	1011	6.2	1144
Accurate No. 5	Speer	CCI 500	7.9	956	8.7	1116
Winchester WSF	Speer	CCI 500	6.7	981	7.5	1090
Accurate No. 7	Speer	CCI 500	10.0	984	11.0	1089
Vihtavuori N350	Speer	CCI 500	6.8	858	7.6	1061
Winchester 231	Speer	CCI 500	5.8	867	6.5	1038
Hodgdon HS-6	Speer	CCI 500	7.3	786	9.0	1033
Alliant Bullseye	Speer	CCI 500	5.4	905	6.0	1023
Alliant American Select	Speer	CCI 500	5.0	931	5.6	1001
Accurate No. 2 Improved	Speer	CCI 500	5.8	840	6.5	956

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load