



40 Smith & Wesson

.400"	40/10mm TMJ® FN	40/10mm GDHP
Weight (grains)	165	165
Ballistic Coefficient	0.135	0.138
Sectional Density	0.147	0.147
COAL Tested	1.120"	1.120"
Speer Part No.	4410	4397

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant BE 86	Federal	Federal 100	6.0	1034	6.8	1144
Winchester AutoComp	Federal	Federal 100	5.8	992	6.6	1107
Vihtavuori N350	Speer	CCI 500	6.7	989	7.5	1106
Hodgdon CFE Pistol	Federal	Federal 100	5.4	951	6.4	1103
Winchester WSF	Speer	CCI 500	6.2	1007	6.8	1082
Alliant Power Pistol	Speer	CCI 500	7.0	978	7.8	1081
Hodgdon H. Universal	Speer	CCI 500	5.7	999	6.2	1074
Accurate No. 5	Speer	CCI 500	7.6	916	8.5	1067
Alliant Unique	Speer	CCI 500	6.2	882	7.2	1064
Hodgdon HS-6	Speer	CCI 500	8.0	1012	8.5	1060
Accurate No. 7	Speer	CCI 500	9.6	951	10.5	1041
Hodgdon TITEGROUP	Speer	CCI 500	5.0	957	5.4	1035
Alliant Sport Pistol	Federal	Federal 100	4.1	888	5.1	1033
Winchester 231	Speer	CCI 500	5.8	955	6.3	1031
Alliant Bullseye	Speer	CCI 500	5.3	949	5.8	1022

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load