



380 Automatic

.355"	380
	Auto TMJ® RN
Weight (grains)	95
Ballistic Coefficient	0.131
Sectional Density	0.108
COAL Tested	0.970"
Speer Part No.	4001

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Winchester 231	Winchester	CCI 500	3.6	945	4.0	1027
Accurate No. 7	Winchester	CCI 500	5.9	971	6.5	1019
Hodgdon Hi-Skor 700-X	Winchester	CCI 500	3.1	912	3.4	1012
Alliant Unique	Winchester	CCI 500	3.8	918	4.2	1006
Vihtavuori N320	Winchester	CCI 500	3.0	893	3.4	998
Alliant Bullseye	Winchester	CCI 500	3.0	874	3.3	990
Hodgdon H. Universal	Winchester	CCI 500	3.6	854	4.1	979
Alliant Power Pistol	Winchester	CCI 500	4.2	883	4.7	974
Alliant BE 86	Federal	Federal 100	3.5	870	4.0	970
Accurate No. 2	Winchester	CCI 500	3.3	887	3.7	965
Winchester WSL	Winchester	CCI 500	3.1	849	3.5	960
Winchester AutoComp	Federal	Federal 100	3.5	852	4.0	960
Accurate No. 5	Winchester	CCI 500	4.6	871	5.0	949
Hodgdon CFE Pistol	Federal	Federal 100	3.5	856	3.9	943
Alliant American Select	Winchester	CCI 500	2.8	824	3.3	935
Hodgdon TITEGROUP	Winchester	CCI 500	2.7	851	3.1	930
Alliant Sport Pistol	Federal	Federal 100	2.5	799	3.0	928

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load