



8mm-06

.323"	8mm
	Spitz SP Hot-Cor®
Weight (grains)	200
Ballistic Coefficient	0.440
Sectional Density	0.274
COAL Tested	3.250"
Speer Part No.	2285

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
IMR 4064	Winchester (reformed 30-06)	CCI 200	49.0	2411	53.0 C	2647
Winchester 760	Winchester (reformed 30-06)	CCI 250	58.0	2411	62.0 C	2615
IMR 4320	Winchester (reformed 30-06)	CCI 200	48.0	2354	52.0	2612
Hodgdon BL-C(2)	Winchester (reformed 30-06)	CCI 250	45.0	2353	49.0	2599
Hodgdon H380	Winchester (reformed 30-06)	CCI 250	53.0	2367	57.0 C	2595
Winchester 748	Winchester (reformed 30-06)	CCI 250	49.0	2341	53.0	2583
IMR 4350	Winchester (reformed 30-06)	CCI 200	54.0	2347	58.0 C	2580
IMR 4831	Winchester (reformed 30-06)	CCI 200	56.0	2337	60.0 C	2546
IMR 3031	Winchester (reformed 30-06)	CCI 200	44.0	2194	48.0	2429
IMR 4895	Winchester (reformed 30-06)	CCI 200	44.0	2174	48.0	2420

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load