



## 223 Winchester Super Short Magnum

<b>.224"</b>	<b>22</b>
<b>Weight (grains)</b>	<b>Spitzer SP</b>
<b>Ballistic Coefficient</b>	50
<b>Sectional Density</b>	0.207
<b>COAL Tested</b>	0.142
<b>Speer Part No.</b>	2.100"
	1029

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Alliant Power Pro 2000-MR	Winchester	Federal 210	42.7	3799	47.4	4080
IMR 8208 XBR	Winchester	Federal 210	37.4	3772	41.6	4050
Alliant Reloder 15	Winchester	Federal 210	42.5	3846	44.5	4036
Alliant Power Pro Varmint	Winchester	Federal 210	39.1	3762	43.2	4034
Hodgdon Varget	Winchester	Federal 210	43.0	3890	45.0	4033
Hodgdon H414	Winchester	Federal 215	47.0	3866	49.0	4027
Winchester 760	Winchester	Federal 215	47.5	3834	49.5	4009
IMR 4166	Winchester	Federal 210	39.3	3683	43.5	4005
Vihtavuori N540	Winchester	Federal 210	43.5	3816	45.5	3995
Alliant AR-Comp	Winchester	Federal 210	36.9	3694	41.0	3995
IMR 4895	Winchester	Federal 210	42.0	3820	44.0	3993
IMR 4064	Winchester	Federal 210	41.5	3807	43.5	3988
Ramshot Big Game	Winchester	Federal 215	45.5	3780	47.5	3971
Accurate 4064	Winchester	Federal 210	42.0	3765	44.0	3952
Alliant Reloder 10X	Winchester	Federal 210	36.5	3795	38.5	3929

**WARNING:** Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum loads should be used with CAUTION • C = Compressed Load*