



25 Winchester Super Short Magnum

.257"	25 Spitzer SP Hot- Cor®	25 TNT® HP
Weight (grains)	87	87
Ballistic Coefficient	0.300	0.337
Sectional Density	0.188	0.188
COAL Tested	2.270"	2.350"
Speer Part No.	1241	1246

Propellant	Case	Primer	START CHARGE		MAXIMUM CHARGE	
			Weight (grains)	Muzzle Velocity (feet/sec)	Weight (grains)	Muzzle Velocity (feet/sec)
Ramshot Big Game	Winchester	CCI 250	46.0	3159	50.0	3445
Alliant Reloder 15	Winchester	CCI 200	41.5	3176	45.5	3428
Hodgdon H414	Winchester	CCI 250	47.0	3183	51.0 C	3428
Hodgdon H380	Winchester	CCI 250	46.0	3177	50.0 C	3417
IMR 4895	Winchester	CCI 200	40.0	3153	44.0	3411
Winchester 760	Winchester	CCI 250	49.0	3258	51.0 C	3392
Hodgdon Varget	Winchester	CCI 200	39.0	3095	43.0	3358
IMR 4350	Winchester	CCI 200	46.0	3073	50.0 C	3354
Alliant Reloder 19	Winchester	CCI 200	48.0	3066	52.0 C	3333
Alliant Reloder 10X	Winchester	CCI 200	35.0	3056	39.0	3313
Accurate 4350	Winchester	CCI 200	48.0	3170	50.0 C	3294
Vihtavuori N560	Winchester	CCI 200	48.0	3041	52.0 C	3271
Accurate 5744 (reduced load)	Winchester	CCI 200	19.0	1989	21.0	2141

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load