



375 Holland & Holland Magnum

| | |
|------------------------------|---------------|
| .375" | 375 |
| Weight (grains) | 270 |
| Ballistic Coefficient | 0.478 |
| Sectional Density | 0.274 |
| COAL Tested | 3.600" |
| Speer Part No. | 2472 |

**375
Spitzer BTSP**

| Propellant | Case | Primer | START CHARGE | | MAXIMUM CHARGE | |
|--------------------|------------|---------|-----------------|----------------------------|-----------------|----------------------------|
| | | | Weight (grains) | Muzzle Velocity (feet/sec) | Weight (grains) | Muzzle Velocity (feet/sec) |
| Hodgdon CFE 223 | Federal | CCI 250 | 75.0 | 2672 | 80.5 | 2822 |
| Alliant Reloder 17 | Federal | CCI 250 | 75.0 | 2682 | 79.0 | 2822 |
| Accurate 4350 | Winchester | CCI 250 | 79.0 | 2667 | 83.0 C | 2797 |
| IMR 4451 | Federal | CCI 250 | 75.5 | 2615 | 81.5 | 2756 |
| Hodgdon H4350 | Winchester | CCI 250 | 76.0 | 2611 | 80.0 C | 2731 |
| Hodgdon H414 | Winchester | CCI 250 | 80.0 | 2655 | 82.0 C | 2708 |
| Alliant AR-Comp | Federal | CCI 250 | 65.5 | 2596 | 69.1 | 2703 |
| Alliant Reloder 15 | Winchester | CCI 250 | 67.0 | 2527 | 71.0 | 2675 |
| Vihtavori N140 | Winchester | CCI 250 | 66.0 | 2541 | 70.0 | 2665 |
| IMR 4350 | Winchester | CCI 250 | 76.0 | 2557 | 80.0 C | 2655 |
| IMR 4831 | Winchester | CCI 250 | 80.0 | 2579 | 82.0 C | 2643 |
| Vihtavori N160 | Winchester | CCI 250 | 78.0 | 2562 | 80.0 C | 2622 |
| Accurate 2700 | Winchester | CCI 250 | 70.0 | 2472 | 74.0 | 2621 |
| Alliant Reloder 19 | Winchester | CCI 250 | 81.0 | 2530 | 83.0 C | 2589 |
| Winchester 760 | Winchester | CCI 250 | 80.0 | 2525 | 82.0 C | 2564 |
| Hodgdon Varget | Winchester | CCI 250 | 63.0 | 2363 | 67.0 | 2549 |

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current SPEER® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As Vista Outdoor Operations LLC has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Maximum loads should be used with CAUTION • C = Compressed Load